# Assisted reproductive technology in Australia and New Zealand 2013

## Supplementary tables

September 2015

UNSW Australia

# Contents

**Abbreviations and symbols** ..... **iii**
**Introductory notes** ..... **iv**
**Treatment cycles undertaken in 2013 and resulting pregnancy and birth outcomes** ..... **1**
**List of tables** ..... **15**

**Table S1: Treatment cycles by cause of infertility, treatment type and procedure, Australia and New Zealand, 2013**

| | Autologous | | | | | |
|---|---|---|---|---|---|---|
| **Cause of infertility** | **Fresh IVF** | **Fresh ICSI** | **Fresh other[(a)]** | **Thaw** | **Oocyte/embryo recipient** | **All** |
| | | | **Number** | | | |
| Male factor only | 1,172 | 6,914 | 855 | 5,493 | 289 | 14,723 |
| Female factor | 4,674 | 5,720 | 1,640 | 6,602 | 992 | 19,628 |
| Tubal disease only | 839 | 666 | 164 | 1,047 | 45 | 2,761 |
| Endometriosis only | 942 | 892 | 238 | 1,147 | 97 | 3,316 |
| Other female factor only | 2,216 | 3,623 | 1,063 | 3,633 | 772 | 11,307 |
| Combined female factor | 677 | 539 | 175 | 775 | 78 | 2,244 |
| Combined male/female factor | 993 | 4,132 | 736 | 3,129 | 332 | 9,322 |
| Unexplained | 3,929 | 4,664 | 1,256 | 5,424 | 362 | 15,635 |
| Not stated | 1,319 | 4,264 | 816 | 4,248 | 330 | 10,977 |
| **All causes** | **12,087** | **25,694** | **5,303** | **24,896** | **2,305** | **70,285** |
| | | | **Per cent** | | | |
| Male factor only | 9.7 | 26.9 | 16.1 | 22.1 | 12.5 | 20.9 |
| Female factor | 38.7 | 22.3 | 30.9 | 26.5 | 43.0 | 27.9 |
| Tubal disease only | 6.9 | 2.6 | 3.1 | 4.2 | 2.0 | 3.9 |
| Endometriosis only | 7.8 | 3.5 | 4.5 | 4.6 | 4.2 | 4.7 |
| Other female factor only | 18.3 | 14.1 | 20.0 | 14.6 | 33.5 | 16.1 |
| Combined female factor | 5.6 | 2.1 | 3.3 | 3.1 | 3.4 | 3.2 |
| Combined male/female factor | | | | | | |

**Table S3: Outcome of embryo transfer cycles by technique of sperm retrieval, Australia and New Zealand, 2013**

| | Site of sperm extraction | | | | |
|---|---|---|---|---|---|
| **Stage/outcome of treatment** | **Ejaculate** | **Epididymis[(a)]** | **Testicular** | **Other** | **Not stated** |
| Embryo transfers | 51,838 | 566 | 2,099 | 71 | 352 |
| Clinical pregnancies | | | | | |

**Table S**

**Table S13: Early pregnancy loss by number of embryos transferred, Australia and New Zealand, 2013**

| | Number of embryos transferred | | | |
|---|---|---|---|---|
| **Pregnancy outcome** | **One** | **Two** | **Three or more** | **All** |
| | | **Number** | | |
| Miscarriage | 2,518 | 717 | 34 | 3,269 |
| Fetal reduction or termination | 88 | 18 | 0 | 106 |
| Ectopic or heterotopic pregnancy | 137 | 53 | 4 | 194 |
| **Total** | **2,743** | **788** | **38** | **3,569** |
| | | **Per cent** | | |
| Miscarriage | 91.8 | 91.0 | 89.5 | 91.6 |
| Fetal reduction or termination | 3.2 | 2.3 | 0.0 | 3.0 |
| Ectopic or heterotopic pregnancy | 5.0 | 6.7 | 10.5 | 5.4 |
| **Total** | **100.0** | **100.0** | **100.0** | **100.0** |

Note:

**Table S**

**Table S17: Gestational age of babies by birth outcomes, Australia and New Zealand, 2013**

| | Live delivery[a] | | Stillbirth (fetal death)[b] | | Total[c] | |
|---|---|---|---|---|---|---|
| **Gestational age (weeks)** | **Number** | **Per cent** | **Number** | **Per cent** | **Number** | **Per cent** |
| Mean (weeks) | 38.1 | | 26.9 | | 35.3 | |
| ” | 109 | | | | | |

## Table S20: Perinatal mortality of babies by type of death and treatment type and procedure, Australia and New Zealand, 2013

| Perinatal deaths[a] | Autologous | | | Oocyte/embryo recipient | All |
|---|---|---|---|---|---|
| | Fresh IVF | Fresh ICSI | Thaw | | |
| Live births[b] | 2,677 | 4,761 | 5,751 | 490 | 13,679 |
| Stillbirths (fetal deaths) | 30 | 53 | 48 | 7 | 138 |
| Neonatal death | 10 | 15 | 9 | 1 | 35 |
| Perinatal deaths[a] | 40 | 68 | 57 | 8 | 173 |
| **Total[c]** | **2,723** | **4,838** | **5,844** | **497** | **13,902** |
| Stillbirths (fetal deaths) per 1,000 births[d] | 11.0 | 11.0 | 8.2 | 14.1 | 9.9 |
| Neonatal deaths per 1,000 live births[e] | 3.7 | 3.1 | 1.5 | 2.0 | 2.5 |
| Perinatal deaths per 1,000 births[a] | 14.7 | 14.1 | 9.8 | 16.1 | 12.4 |

(a) Perinatal deaths (neonatal deaths and fetal deaths) are reported by patients to fertility centre staff. These data are not official vital statistics.

(b) Live births include neonatal deaths.

(c) Includes cycles where pregnancy outcome was unknown.

(d) Stillbirths (fetal deaths) and perinatal death rates were calculated using all births (live births and fetal deaths) as the denominator.

(e) Neonatal death rates were calculated using all live births as the denominator.

Note: The birth status was not available for 85 babies: 16 following fresh IVF, 24 following fresh ICSI and 45 following thaw. Data should be interpreted with caution due to small numbers in certain cells.

## Table S21: Perinatal mortality of babies by type of death and maternal age, Australia and New

# List of tables


Table S1: Treatment cycles by cause of infertility, treatment type and procedure, Australia and New Zealand, 2013 ..... 2

Table S2: Autologous treatment cycles by cause of infertility and source of sperm, Australia and New Zealand, 2013 ..... 3

Table S3: Outcome of embryo transfer cycles by technique of sperm retrieval, Australia and New Zealand, 2013 ..... 4

Table S4: Embryo transfer cycles by number of embryos transferred, treatment type and procedure, Australia and New Zealand, 2013 ..... 4

Table S5: Outcome of embryo transfer cycles by stage of embryo development, Australia and New Zealand, 2013 ..... 5

Table S6: Clinical pregnancies of less than 20 weeks gestation by cause of infertility and pregnancy outcome, Australia and New Zealand, 2013 ..... 5

Table S7: Deliveries by cause of infertility and delivery outcome, Australia and New Zealand, 2013 ... 6

Table S8: Deliveries by gestational age and cause of infertility, Australia and New Zealand, 2013 ..... 7

Table S9: Deliveries by gestational age and maternal age, Australia and New Zealand, 2013 ..... 8

Table S10: Early pregnancy loss and maternal age, Australia and New Zealand, 2013 ..... 8

Table S11: Deliveries by plurality and maternal age, Australia and New Zealand, 2013 ..... 9

Table S12: Delivery outcomes by maternal age, Australia and New Zealand, 2013 ..... 9

Table S13: Early pregnancy loss by number of embryos transferred, Australia and New Zealand, 2013 ..... 10

Table S14: Deliveries by delivery outcome and number of embryos transferred, Australia and New Zealand, 2013 ..... 10

Table S15: Deliveries by gestational age and number of embryos transferred, Australia and New Zealand, 2013 ..... 11

Table S16: Deliveries by plurality, treatment type and procedure, Australia and New Zealand, 2013 ..... 11

Table S17: Gestational age of babies by birth outcomes, Australia and New Zealand, 2013 ..... 12

Table S18: Birthweight of babies by birth outcomes, Australia and New Zealand, 2013 ..... 12

Table S19: Birthweight of liveborn babies by treatment type and procedure, Australia and New Zealand, 2013 ..... 13

Table S20: Perinatal mortality of babies by type of death and treatment type and procedure, Australia and New Zealand, 2013 ..... 14

Table S21: Perinatal mortality of babies by type of death and maternal age, Australia and New Zealand, 2013 ..... 14