

MATHEMATICS ENRICHMENT CLUB.  
 Solution Sheet 4, May 22, 2016

1. Let  $x = \sqrt[3]{6 + \sqrt[3]{6 + \sqrt[3]{6 + \sqrt[3]{6 + \dots}}}}$ , then

$$x^3 = 6 + \sqrt[3]{6 + \dots}$$

which implies

$$\begin{aligned} 2 & \sqrt{(3-x)(x+1)} < 3 \\ 4(3-x)(x+1) & < 9 \\ 4x^2 + 8x + 3 & < 0: \end{aligned}$$

Solving the above quadratic inequality and recalling that  $1 < x < 3$  gives  $1 < x < 1 + \frac{1}{2}\sqrt{7}$ .

4. Consider  $g(x) := f(x) - 1$ . We have

$$g(xy) = f(xy) - 1 = yf(x) + xf(y) - x - y = yg(x) + xg(y):$$

Next, set  $h(x) = \frac{g(x)}{x}$  then

$$h(xy) = \frac{g(xy)}{xy} = \frac{g(x)}{x} + \frac{g(y)}{y} = h(x) + h(y):$$

Hence,  $h(x) = \ln(x)$ . Thus,  $f(x) = x \ln(x) + 1$ .

5. (a) Let  $x$  and  $y$  be the two natural numbers. We wish to find the largest value of  $xy = x(2016 - x)$ , the concave down parabola with roots 0 and 2016. The maximum is at the turning point  $x = 1008$ . So the greatest product is  $xy = 1008^2$ .
- (b) Let  $x_1, x_2, \dots, x_n$  be the  $n$  natural numbers. If any of the natural numbers is 1, then  $x_1 = 1$  and the product  $x_1 x_2 \dots x_n$  is not maximum, because we can add  $x_1$  to any one of the other natural numbers and always end up with a greater product.

Now, suppose that one of natural number say  $x_1$  is greater than 3, then we can split  $x_1$  into  $x_1 - 2$  and 2. The result of the product is

$$2(x_1 - 2) x_2 x_3 x_4 \dots x_n > x_1 x_2 \dots x_n:$$

Therefore, the product  $x_1 x_2 \dots x_n$  is greatest when each  $x_1, x_2, \dots, x_n$  either 2 or 3.

Finally, if three or more of the natural number are 2's, then we can combine them into two 3's, then product will be greater than it was before since  $2 \cdot 2 \cdot 2 < 3 \cdot 3$ .

Hence, to obtain the greatest product of  $x_1, x_2, \dots, x_n$  when  $x_1 = x_2 = \dots = x_n = 3$ . In particular, the greatest product of the natural numbers that sum to 2016 is  $3^{2016/3}$ .

6. The sum of angles of a polygon is  $(n - 2) \cdot 180$  (you may want to show this). Hence, the internal angles of each pentagon and decagon is  $108^\circ$  and  $144^\circ$  respectively. Since the length of the sides of both shapes are 1, to make sure there is no gap between tiles, we must join two corners of the a pentagon to each one corner of the decagon to make  $2 \cdot 108^\circ + 144^\circ = 360^\circ$ ; This will not work without overlaps.

## Senior Questions

1. Let  $x = 2^a$